	Application No.	Applicant(s)	
	09/960,227	GOODMAN ET AL.	
Notice of Allowability	Examiner	Art Unit	
	Parviz Hassanzadeh	1763	
The MAILING DATE of this communication applied like the series of the office of the series of the	IS (OR REMAINS) CLOSED in 35) or other appropriate commur RIGHTS. This application is su	this application. If not included nication will be mailed in due cou	ırse. THIS
. This communication is responsive to <u>4/7/04</u> .			
2. The allowed claim(s) is/are <u>1-9,11-17,32,33 and 35</u> .			
B. $igotimes$ The drawings filed on <u>20 September 2001</u> are accepted	by the Examiner.		
Acknowledgment is made of a claim for foreign priority a) All b) Some* c) None of the: 1. Certified copies of the priority documents have a commented as a comment of the priority documents have a commented as a comment of the priority documents have a commented as a comment of the priority and the priority international Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DAT noted below. Failure to timely comply will result in ABANDO THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be sure in the priority which is a comment of the priority which is commented by the Notice of Draftsparant (a) including changes required by the Notice of Draftsparant (b) hereto or 2) to Paper No./Mail Date Identifying indicia such as the application number (see 37 CF each sheet. Replacement sheet(s) should be labeled as such attached Examiner's comment regarding REQUIREMENT.	ave been received. ave been received in Application documents have been received E" of this communication to file NMENT of this application. bmitted. Note the attached EXA gives reason(s) why the oath or must be submitted. berson's Patent Drawing Review per's Amendment / Comment or R 1.84(c)) should be written on the posit of BIOLOGICAL MATE	in this national stage application in this national stage application a reply complying with the requirement of MINER'S AMENDMENT or NOT declaration is deficient. (PTO-948) attached in the Office action of the drawings in the front (not the bark 1.121(d).	rements FICE OF
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-94) 3. Information Disclosure Statements (PTO-1449 or PTO/S Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposor Biological Material	.8) 6. ☐ Interview Su Paper No.// 6B/08), 7. ☒ Examiner's	ormal Patent Application (PTO-1 Immary (PTO-413), Mail Date Amendment/Comment Statement of Reasons for Allowa	·
		Parviz Hassanzadeh	

Primary Examiner Art Unit: 1763

Page 2

Application/Control Number: 09/960,227

Art Unit: 1763

DETAILED ACTION

EX. Amot 04

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Joseph A. Capraro, Jr. on 5/18/04.

The application has been amended as follows:

In the claims:

Have cancelled non-elected claims 18-29.

Allowable Subject Matter

Claims 1-9, 11-17, 32, 33 and 35 are allowed.

The following is an examiner's statement of reasons for allowance: an RF plasma generator including a matching network comprising at least one <u>variable impedance component</u> <u>providing an electrically controllable variable capacitance</u>, the matching network including a first port that is electromagnetically coupled to the output of an RF generator and a second port that is electromagnetically coupled a load.

Application/Control Number: 09/960,227

Art Unit: 1763

Neither of the prior art of the record teaches or suggests a plasma processing apparatus including a variable impedance matching network wherein the matching network includes <u>an</u> <u>variable capacitance which is electrically controllable</u>.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Parviz Hassanzadeh whose telephone number is (571)272-1435. The examiner can normally be reached on Tuesday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Mills can be reached on (571)272-1439. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

P. Hassanzadeh Parviz Hassanzadeh Primary Examiner Art Unit 1763